




simulate and optimize your cleaning treatments









- In manufacturing washing of parts is required
- 80 million cars are produced worldwide annually; each car contains several parts that need to be washed
- If cycle time, energy, and water consumption can be reduced and the quality of the washing can be increased, both product and producers profit
- This can be achieved by optimizing the design of the lines, the nozzle position, the pressure and the velocity of the liquid input








- reduce cycle time, energy & water consumption
- increase quality of washing
- increase profit for the manufacturer and from the product
- validate new geometries in teh design phase



OPTIMIZE

- verify & optimize the design of the washing lines
- optimize the nozzle position, the pressure and the velocity of the liquid input
- decrease long-term costs by curtailing risk
- detect issues & enhance existing geometries



ACCELERATE

- accelerate decision making
- suggestions for enhancements in the design phase
- validate new washing machines before they are purchased



Dr. Martin Schifko

CEO

martin.schifko@essteyr.com +43 7252 20446-61

Prof. Dr. Alireza Eslamian

CMO

alireza.eslamian@essteyr.com +43 7252 20446-75

Muraleekrishnan Menon, PhD

COO

muraleekrishnan.menon@essteyr.com +43 7252 20446-91

















© ESS Engineering Software Steyr GmbH | Berggasse 35 | 4400 Steyr Austria Tel.: +437252-20446-65 | Fax: +437252-20446-99 E-Mail: office@essteyr.com

www.essteyr.com